

C LIBRARY FUNCTION - BSEARCH

http://www.tutorialspoint.com/c_standard_library/c_function_bsearch.htm

Copyright © tutorialspoint.com

Description

The C library function **void *bsearch***constvoid * key, constvoid * base, size_t nitems, size_t size, int (* compar constvoid * , constvoid *)* function searches an array of **nitems** objects, the initial member of which is pointed to by **base**, for a member that matches the object pointed to, by **key**. The size of each member of the array is specified by **size**.

The contents of the array should be in ascending sorted order according to the comparison function referenced by **compar**.

Declaration

Following is the declaration for bsearch function.

```
void *bsearch(const void *key, const void *base, size_t nitems, size_t size, int (*compar)(const void *, const void *))
```

Parameters

- **key** -- This is the pointer to the object that serves as key for the search, type-casted as a void*.
- **base** -- This is the pointer to the first object of the array where the search is performed, type-casted as a void*.
- **nitems** -- This is the number of elements in the array pointed by base.
- **size** -- This is the size in bytes of each element in the array.
- **compare** -- This is the function that compares two elements.

Return Value

This function returns a pointer to an entry in the array that matches the search key. If key is not found, a NULL pointer is returned.

Example

The following example shows the usage of bsearch function.

```
#include <stdio.h>
#include <stdlib.h>

int cmpfunc(const void * a, const void * b)
{
    return ( *(int*)a - *(int*)b );
}

int values[] = { 5, 20, 29, 32, 63 };

int main ()
{
    int *item;
    int key = 32;

    /* using bsearch() to find value 32 in the array */
    item = (int*) bsearch (&key, values, 5, sizeof (int), cmpfunc);
    if( item != NULL )
    {
        printf("Found item = %d\n", *item);
    }
}
```

```
}  
else  
{  
    printf("Item = %d could not be found\n", *item);  
}  
return(0);  
}
```

Let us compile and run the above program that will produce the following result:

```
Found item = 32
```

```
Loading [MathJax]/jax/output/HTML-CSS/fonts/TeX/fontdata.js
```