

FLEX - ENVIRONMENT SETUP

http://www.tutorialspoint.com/flex/flex_environment_setup.htm

Copyright © tutorialspoint.com

This tutorial will guide you on how to prepare a development environment to start your work with Adobe Flex Framework. This tutorial will also teach you how to setup JDK and Adobe Flash Builder on your machine before you setup Flex Framework:

System Requirement

FLEX requires JDK 1.4 or higher so the very first requirement is to have JDK installed in your machine.

JDK	1.4 or above.
Memory	no minimum requirement.
Disk Space	no minimum requirement.
Operating System	no minimum requirement.

Follow the given steps to setup your environment to start with Flex application development.

Step 1 - Verify Java installation on your machine

Now open console and execute the following **java** command.

OS	Task	Command
Windows	Open Command Console	c:\> java -version
Linux	Open Command Terminal	\$ java -version
Mac	Open Terminal	machine:~ joseph\$ java -version

Let's verify the output for all the operating systems:

OS	Generated Output
Windows	java version "1.6.0_21" Java™ SE Runtime Environment <i>build1.6.0_21 - b07</i> Java HotSpot™ Client VM <i>build17.0 - b17, mixedmode, sharing</i>
Linux	java version "1.6.0_21" Java™ SE Runtime Environment <i>build1.6.0_21 - b07</i> Java HotSpot™ Client VM <i>build17.0 - b17, mixedmode, sharing</i>
Mac	java version "1.6.0_21" Java™ SE Runtime Environment <i>build1.6.0_21 - b07</i>

Step 2 - Setup Java Development Kit *JDK*:

If you do not have Java installed then you can install the Java Software Development Kit *SDK* from Oracle's Java site: [Java SE Downloads](#). You will find instructions for installing JDK in downloaded files, follow the given instructions to install and configure the setup. Finally set `PATH` and `JAVA_HOME` environment variables to refer to the directory that contains java and javac, typically `java_install_dir/bin` and `java_install_dir` respectively.

Set the **JAVA_HOME** environment variable to point to the base directory location where Java is installed on your machine. For example

OS	Output
Windows	Set the environment variable <code>JAVA_HOME</code> to <code>C:\Program Files\Java\jdk1.6.0_21</code>
Linux	<code>export JAVA_HOME=/usr/local/java-current</code>
Mac	<code>export JAVA_HOME=/Library/Java/Home</code>

Append Java compiler location to System Path.

OS	Output
Windows	Append the string <code>;%JAVA_HOME%\bin</code> to the end of the system variable, <code>Path</code> .
Linux	<code>export PATH=PATH:JAVA_HOME/bin/</code>
Mac	not required

Step 3 - Setup Adobe Flash Builder 4.5

All the examples in this tutorial have been written using Adobe Flash Builder 4.5 Profession IDE Trial Version. So I would suggest you should have latest version of Adobe Flash Builder installed on your machine based on your operating system.

To install Adobe Flash Builder IDE, download the latest Adobe Flash Builder binaries from <http://www.adobe.com/in/products/flash-builder.html>. Once you downloaded the installation, unpack the binary distribution into a convenient location. For example in `C:\flash-builder` on windows, or `/usr/local/flash-builder` on Linux/Unix and finally set `PATH` variable appropriately.

Flash Builder can be started by executing the following commands on windows machine, or you can simply double click on `FlashBuilder.exe`


```
%C:\flash-builder\FlashBuilder.exe
```

Flash Builder can be started by executing the following commands on Unix *Solaris, Linux, etc.* machine:

```
$/usr/local/flash-builder/FlashBuilder
```

Adobe Flash Builder Trial Version can be used for 60 days. Just accept the terms and conditions and skip the initial registration steps and continue with the IDE. We're using the trial version for teaching purpose.

After a successful startup, if everything is fine then it should display following result:



Adobe Flash Builder comes pre-configured with FLEX SDKs. We're using FLEX SDK 4.5 in our examples which comes bundled with Adobe Flash Builder 4.5.

Step 4: Setup Apache Tomcat:

You can download the latest version of Tomcat from <http://tomcat.apache.org/>. Once you downloaded the installation, unpack the binary distribution into a convenient location. For example in C:\apache-tomcat-6.0.33 on windows, or /usr/local/apache-tomcat-6.0.33 on Linux/Unix and set CATALINA_HOME environment variable pointing to the installation locations.

Tomcat can be started by executing the following commands on windows machine, or you can simply double click on startup.bat


```
%CATALINA_HOME%\bin\startup.bat  
  
or  
  
C:\apache-tomcat-6.0.33\bin\startup.bat
```

Tomcat can be started by executing the following commands on Unix *Solaris, Linux, etc.* machine:

```
$CATALINA_HOME/bin/startup.sh  
  
or  
  
/usr/local/apache-tomcat-6.0.33/bin/startup.sh
```

After a successful startup, the default web applications included with Tomcat will be available by visiting **http://localhost:8080/**. If everything is fine then it should display following result:





Further information about configuring and running Tomcat can be found in the documentation included here, as well as on the Tomcat web site: <http://tomcat.apache.org>

Tomcat can be stopped by executing the following commands on windows machine:

```
%CATALINA_HOME%\bin\shutdown  
or  
C:\apache-tomcat-5.5.29\bin\shutdown
```

Tomcat can be stopped by executing the following commands on Unix *Solaris*, *Linux*, *etc.* machine:

```
$CATALINA_HOME/bin/shutdown.sh  
or  
/usr/local/apache-tomcat-5.5.29/bin/shutdown.sh
```

Loading [MathJax]/jax/output/HTML-CSS/jax.js