


BOOTSTRAP MOCK TEST

http://www.tutorialspoint.com/bootstrap/pdf/bootstrap_mock_test_iii.htm

Copyright © tutorialspoint.com

This section presents you various set of Mock Tests related to **Bootstrap Framework**. You can download these sample mock tests at your local machine and solve offline at your convenience. Every mock test is supplied with a mock test key to let you verify the final score and grade yourself.



BOOTSTRAP MOCK TEST III

Q 1 - Which of the following bootstrap style is used to add standard links to .navbar?

- A - .navbar-link
- B - .link
- C - .form-link
- D - None of the above.

Q 2 - Which of the following bootstrap style is used to align .nav links, forms, buttons, or text to left or right in a .navbar?

- A - .navbar-align
- B - .navbar-left, .navbar-right
- C - .alignment
- D - None of the above.

Q 3 - Which of the following bootstrap style is to be used if you want the .navbar fixed to the top of the page?

- A - .navbar-top
- B - .navbar-fixed
- C - .navbar-fixed-top
- D - None of the above.

Q 4 - Which of the following bootstrap style is to be used if you want to create a .navbar that scrolls with the page?

- A - .navbar-static-top
- B - .navbar-fixed
- C - .navbar-fixed-top
- D - None of the above.

Q 5 - Which of the following bootstrap style is to be used if you want to create an inverted .navbar with a black background and with white text?

- A - .navbar-reverse
- B - .navbar-inverse
- C - .navbar-inverted
- D - None of the above.

Q 6 - Which of the following bootstrap style is used to create a .breadcrumb?

- A - .breadcrumb
- B - .navbar
- C - .menu
- D - None of the above.

Q 7 - Which of the following bootstrap style is used to create a .pagination?

- A - .breadcrumb
- B - .pagination
- C - .menu
- D - None of the above.

Q 8 - Which of the following bootstrap style can be used to customize .pagination links?

- A - .disabled, .active
- B - .pagination-active, .pagination-disabled
- C - .menu-active, .menu-disabled
- D - None of the above.

Q 9 - Which of the following bootstrap style can be used to to get different size items of .pagination?

- A - .lg, .sm
- B - .pagination-lg, .pagination-sm
- C - .menu-lg, .menu-sm

D - None of the above.

Q 10 - Which of the following bootstrap style can be used to create a pager on a page?

A - .pager

B - .pagination

C - .nav

D - None of the above.

Q 11 - Which of the following bootstrap style can be used to align .pager buttons?

A - .pager-previous, .pager-next

B - .previous, .next

C - .link-previous, .link-next

D - None of the above.

Q 12 - Which of the following bootstrap style can be used to get a muted look on a pager buttons?

A - .pager-disabled

B - .disabled

C - .link-disabled

D - None of the above.

Q 13 - Which of the following is correct about Bootstrap badges?

A - Badges are similar to labels; the primary difference is that the corners are more rounded.

B - Badges are mainly used to highlight new or unread items.

D - All of the above.

Q 14 - Which of the following is correct about Bootstrap jumbotron?

A - This component can optionally increase the size of headings and add a lot of margin for landing page content.

B - To use the Jumbotron: Create a container <div> with the class of .jumbotron.

C - Both of the above.

D - None of the above.

Q 15 - Which of the following bootstrap styles can be used to create a default progress bar?

- A - .progress, .progress-bar
- B - .nav-progress
- C - .link-progress-bar
- D - None of the above.

Q 16 - Which of the following bootstrap styles can be used to create progress bars with different styles?

- A - .progress-bar-success, .progress-bar-info, .progress-bar-warning, .progress-bar-danger
- B - .success, .info, .warning, .danger
- C - .progress, .progress-bar
- D - None of the above.

Q 17 - Which of the following bootstrap styles can be used to create a striped progress bar?

- A - .progress-bar-success, .progress-bar-info, .progress-bar-warning, .progress-bar-danger
- B - .success, .info, .warning, .danger
- C - .progress-striped.
- D - None of the above.

Q 18 - Which of the following bootstrap styles can be used to create a Animated progress bar?

- A - .progress-active
- B - .active
- C - .progress-striped.
- D - None of the above.

Q 19 - Which of the following bootstrap styles can be used to create a Stacked progress bar?

- A - .progress-stacked
- B - .progress
- C - .progress-stack.
- D - None of the above.

Q 20 - Which of the following is correct about bootstrap media objects?

- A - These are abstract object styles for building various types of components (like blog comments, Tweets, etc.) that feature a left-aligned or right-aligned image alongside the textual content.
- B - The goal of the media object is to make the code for developing these blocks of information

drastically shorter.

C - Both of the above.

D - None of the above.

Q 21 - Which of the following is correct about bootstrap media objects?

A - These are abstract object styles for building various types of components (like blog comments, Tweets, etc.) that feature a left-aligned or right-aligned image alongside the textual content.

B - The goal of the media object is to make the code for developing these blocks of information drastically shorter.

C - Both of the above.

D - None of the above.

Q 22 - Which of the following is correct about bootstrap panels?

A - Panel components are used when you want to put your DOM component in a box.

B - To get a basic panel, just add class `.panel` to the `<div>` element. Also add class `.panel-default` to this element.

C - Both of the above.

D - None of the above.

Q 23 - Using which of the following ways you can add header to a panel?

A - Use `.panel-heading` class to easily add a heading container to your panel.

B - Use any `<h1>-<h6>` with a `.panel-title` class to add a pre-styled heading.

C - Both of the above.

D - None of the above.

Q 24 - Which of the following class can be used to add a footer to a panel?

A - `.panel-footer`

B - `.footer`

C - `.panel`

D - None of the above.

Q 25 - Which of the following is correct about bootstrap wells?

A - A well is a container in `<div>` that causes the content to appear sunken or an inset effect on the page.

B - To create a well, simply wrap the content that you would like to appear in the well with a `<div>` containing the class of `.well`.

C - Both of the above.

D - None of the above.

ANSWER SHEET

Question Number	Answer Key
1	A
2	B
3	C
4	A
5	B
6	A
7	B
8	A
9	B
10	A
11	B
12	B
13	D
14	C
15	A
16	A
17	C
18	B
19	B
20	C
21	C
22	C
23	C
24	A
25	C