

C LIBRARY FUNCTION - FGETPOS

http://www.tutorialspoint.com/c_standard_library/c_function_fgetpos.htm

Copyright © tutorialspoint.com

Description

The C library function **int fgetpos***FILE * stream, fpos_t * pos* gets the current file position of the **stream** and writes it to **pos**.

Declaration

Following is the declaration for fgetpos function.

```
int fgetpos(FILE *stream, fpos_t *pos)
```

Parameters

- **stream** – This is the pointer to a FILE object that identifies the stream.
- **pos** – This is the pointer to a fpos_t object.

Return Value

This function returns zero on success, else non-zero value in case of an error.

Example

The following example shows the usage of fgetpos function.

```
#include <stdio.h>

int main ()
{
    FILE *fp;
    fpos_t position;

    fp = fopen("file.txt", "w+");
    fgetpos(fp, &position);
    fputs("Hello, World!", fp);

    fsetpos(fp, &position);
    fputs("This is going to override previous content", fp);
    fclose(fp);

    return(0);
}
```

Let us compile and run the above program to create a file **file.txt** which will have the following content. First of all we get the initial position of the file using **fgetpos** function and then we write *Hello, World!* in the file, but later we have used **fsetpos** function to reset the write pointer at the beginning of the file and then over-write the file with the following content:

```
This is going to override previous content
```

Now let us see the content of the above file using the following program –

```
#include <stdio.h>

int main ()
{
    FILE *fp;
    int c;
    int n = 0;
```

```
fp = fopen("file.txt","r");  
  
while(1)  
{  
    c = fgetc(fp);  
    if( feof(fp) )  
    {  
        break ;  
    }  
    printf("%c", c);  
}  
  
fclose(fp);  
  
return(0);  
}
```

Let us compile and run above program to produce the following result:

~~This is going to override previous content~~
Loading [Mathjax]/jax/output/HTML-CSS/jax.js