

C LIBRARY FUNCTION - FREAD

http://www.tutorialspoint.com/c_standard_library/c_function_fread.htm

Copyright © tutorialspoint.com

Description

The C library function **size_t fread***void * ptr, size_t size, size_t nmemb, FILE * stream* reads data from the given **stream** into the array pointed to, by **ptr**.

Declaration

Following is the declaration for fread function.

```
size_t fread(void *ptr, size_t size, size_t nmemb, FILE *stream)
```

Parameters

- **ptr** – This is the pointer to a block of memory with a minimum size of *size*nmemb* bytes.
- **size** – This is the size in bytes of each element to be read.
- **nmemb** – This is the number of elements, each one with a size of **size** bytes.
- **stream** – This is the pointer to a FILE object that specifies an input stream.

Return Value

The total number of elements successfully read are returned as a *size_t* object, which is an integral data type. If this number differs from the *nmemb* parameter, then either an error had occurred or the End Of File was reached.

Example

The following example shows the usage of fread function.

```
#include <stdio.h>
#include <string.h>

int main()
{
    FILE *fp;
    char c[] = "this is tutorialspoint";
    char buffer[100];

    /* Open file for both reading and writing */
    fp = fopen("file.txt", "w+");

    /* Write data to the file */
    fwrite(c, strlen(c) + 1, 1, fp);

    /* Seek to the beginning of the file */
    fseek(fp, SEEK_SET, 0);

    /* Read and display data */
    fread(buffer, strlen(c)+1, 1, fp);
    printf("%s\n", buffer);
    fclose(fp);

    return(0);
}
```

Let us compile and run the above program that will create a file **file.txt** and write a content *this is tutorialspoint*. After that, we use **fseek** function to reset writing pointer to the beginning of the file and prepare the file content which is as follows –

this is tutorialspoint

Loading [MathJax]/jax/output/HTML-CSS/fonts/TeX/fontdata.js