

C LIBRARY FUNCTION - STRTOUL

http://www.tutorialspoint.com/c_standard_library/c_function strtoul.htm

Copyright © tutorialspoint.com

Description

The C library function **unsigned long int strtoul***const char * str, char * * endptr, int base* function converts the initial part of the string in **str** to an unsigned long int value according to the given **base**, which must be between 2 and 36 inclusive, or be the special value 0.

Declaration

Following is the declaration for strtoul function.

```
unsigned long int strtoul(const char * str, char ** endptr, int base)
```

Parameters

- **str** -- This is the string containing the representation of an unsigned integral number.
- **endptr** -- This is the reference to an object of type **char***, whose value is set by the function to the next character in str after the numerical value.
- **base** -- This is the base, which must be between 2 and 36 inclusive, or be the special value 0.

Return Value

This function returns the converted integral number as a long int value. If no valid conversion could be performed, a zero value is returned.

Example

The following example shows the usage of strtoul function.

```
#include <stdio.h>
#include <stdlib.h>

int main()
{
    char str[30] = "2030300 This is test";
    char *ptr;
    long ret;

    ret = strtoul(str, &ptr, 10);
    printf("The number(unsigned long integer) is %lu\n", ret);
    printf("String part is |%s|", ptr);

    return(0);
}
```

Let us compile and run the above program that will produce the following result:

```
The number(unsigned long integer) is 2030300
String part is | This is test|
```

Loading [MathJax]/jax/output/HTML-CSS/jax.js