

CSS -BOUNCE UP EFFECT

http://www.tutorialspoint.com/css/css_animation_bounce_up.htm

Copyright © tutorialspoint.com

Description

Bounce Animation effect is used to move the element quick up, back, or away from a surface after hitting it.

Syntax

```
@keyframes bounceInUp {
  0% {
    opacity: 0;
    transform: translateY(2000px);
  }
  60% {
    opacity: 1;
    transform: translateY(-30px);
  }
  80% {
    transform: translateY(10px);
  }
  100% {
    transform: translateY(0);
  }
}
```

Parameters

- **Transform** – Transform applies to 2d and 3d transformation to an element
- **Opacity** – Opacity applies to an element to make translucence

Example

```
<html>
<head>

<style>

  .animated {
    background-image: url(/css/images/logo.png);
    background-repeat: no-repeat;
    background-position: left top;
    padding-top:95px;
    margin-bottom:60px;
    -webkit-animation-duration: 10s;
    animation-duration: 10s;
    -webkit-animation-fill-mode: both;
    animation-fill-mode: both;
  }

  @-webkit-keyframes bounceInUp {
    0% {
      opacity: 0;
      -webkit-transform: translateY(2000px);
    }
    60% {
      opacity: 1;
      -webkit-transform: translateY(-30px);
    }
    80% {
      -webkit-transform: translateY(10px);
    }
    100% {
```

```

        -webkit-transform: translateY(0);
    }
}

@keyframes bounceInUp {
    0% {
        opacity: 0;
        transform: translateY(2000px);
    }
    60% {
        opacity: 1;
        transform: translateY(-30px);
    }
    80% {
        transform: translateY(10px);
    }
    100% {
        transform: translateY(0);
    }
}

.bounceInUp {
    -webkit-animation-name: bounceInUp;
    animation-name: bounceInUp;
}
</style>

</head>
<body>

    <div >>/div>
    <button onclick="myFunction()">Reload page</button>

    <script>
        function myFunction() {
            location.reload();
        }
    </script>

</body>
</html>

```

Output

It will produce the following result –

