

# JAVA.IO.DATAOUTPUTSTREAM.WRITEUTF METHOD

[http://www.tutorialspoint.com/java/io/dataoutputstream\\_writeutf.htm](http://www.tutorialspoint.com/java/io/dataoutputstream_writeutf.htm)

Copyright © tutorialspoint.com

## Description

The **java.io.DataOutputStream.writeUTFStringstr** method writes a string to the underlying output stream using modified UTF-8 encoding.

## Declaration

Following is the declaration for **java.io.DataOutputStream.writeUTFStringstr** method:

```
public final void writeUTF(String str)
```

## Parameters

- **str** -- a string to be written to the output stream.

## Return Value

This method does not return any value.

## Exception

- **IOException** -- If an I/O error occurs.

## Example

The following example shows the usage of **java.io.DataOutputStream.writeUTFStringstr** method.

```
package com.tutorialspoint;

import java.io.DataInputStream;
import java.io.DataOutputStream;
import java.io.FileInputStream;
import java.io.FileOutputStream;
import java.io.IOException;
import java.io.InputStream;

public class DataOutputStreamDemo {
    public static void main(String[] args) throws IOException {

        InputStream is = null;
        DataInputStream dis = null;
        FileOutputStream fos = null;
        DataOutputStream dos = null;
        String[] s = {"Hello", "World!!"};

        try{
            // create file output stream
            fos = new FileOutputStream("c:\\test.txt");

            // create data output stream
            dos = new DataOutputStream(fos);

            // for each string in string buffer
            for(String j:s)
            {
                // write string encoded as modified UTF-8
                dos.writeUTF(j);
            }

            // force data to the underlying file output stream
            dos.flush();
        }
```

```
// create file input stream
is = new FileInputStream("c:\\\\test.txt");

// create new data input stream
dis = new DataInputStream(is);

// available stream to be read
while(dis.available()>0)
{
    // reads characters encoded with modified UTF-8
    String k = dis.readUTF();

    // print
    System.out.print(k+" ");
}
}catch(Exception e){
    // if any error occurs
    e.printStackTrace();
}finally{

    // releases all system resources from the streams
    if(is!=null)
        is.close();
    if(dis!=null)
        dis.close();
    if(fos!=null)
        fos.close();
    if(dos!=null)
        dos.close();
}
}
```

Let us compile and run the above program, this will produce the following result:

Hello World!!

Loading [MathJax]/jax/output/HTML-CSS/fonts/TeX/fontdata.js