

# JAVA.LANG.BOOLEAN.TOSTRING METHOD

[http://www.tutorialspoint.com/java/lang/boolean\\_tostring.htm](http://www.tutorialspoint.com/java/lang/boolean_tostring.htm)

Copyright © tutorialspoint.com

## Description

The **java.lang.Boolean.toString** returns a String object representing this Boolean's value. If this object represents the value true, a string equal to "true" is returned. Otherwise, a string equal to "false" is returned.

## Declaration

Following is the declaration for **java.lang.Boolean.toString** method

```
public String toString()
```

## Overrides

toString in class **Object**

## Parameters

- NA

## Return Value

This method returns a string representation of this object.

## Exception

- NA

## Example

The following example shows the usage of lang.Boolean.toString method.

```
package com.tutorialspoint;

import java.lang.*;

public class BooleanDemo {

    public static void main(String[] args) {

        // create 2 Boolean objects b1, b2
        Boolean b1, b2;

        // assign values to b1, b2
        b1 = new Boolean(true);
        b2 = new Boolean(null);

        // create 2 Strings s1, s2
        String s1, s2;

        // assign string value of objects b1, b2 to s1, s2
        s1 = b1.toString();
        s2 = b2.toString();

        String str1 = "String value of boolean object " + b1 + " is " + s1;
        String str2 = "String value of boolean object " + b2 + " is " + s2;

        // print s1, s2 values
        System.out.println( str1 );
        System.out.println( str2 );
    }
}
```

```
}
```

Let us compile and run the above program, this will produce the following result:

```
String value of boolean object true is true  
String value of boolean object false is false  
Loading [Mathjax]/jax/output/HTML-CSS/fonts/TeX/fontdata.js
```