

JAVA.LANG.MATH.COPYSIGN METHOD

http://www.tutorialspoint.com/java/lang/math_copysign_double.htm

Copyright © tutorialspoint.com

Description

The **java.lang.Math.copySign***doublemagnitude, doublesign* returns the first floating-point argument with the sign of the second floating-point argument.

Declaration

Following is the declaration for **java.lang.Math.copySign** method

```
public static double copySign(double magnitude, double sign)
```

Parameters

- **magnitude** -- the parameter providing the magnitude of the result
- **sign** -- the parameter providing the sign of the result

Return Value

This method returns a value with the magnitude of magnitude and the sign of sign.

Exception

- NA

Example

The following example shows the usage of lang.Math.copySign method.

```
package com.tutorialspoint;

import java.lang.*;

public class MathDemo {

    public static void main(String[] args) {

        // get two double numbers
        double x = 125.9;
        double y = -0.4873;

        // print a double with the magnitude of x and the sign of y
        System.out.println("Math.copySign(" + x + "," + y + ")=" + Math.copySign(x, y));

        // print a double with the magnitude of y and the sign of x
        System.out.println("Math.copySign(" + y + "," + x + ")=" + Math.copySign(y, x));

    }

}
```

Let us compile and run the above program, this will produce the following result:

```
Math.copySign(125.9, -0.4873)=-125.9
Math.copySign(-0.4873, 125.9)=0.4873
```

Loading [MathJax]/jax/output/HTML-CSS/fonts/TeX/fontdata.js