

JAVA.LANG.SECURITYMANAGER.CHECKLINK METHOD

http://www.tutorialspoint.com/java/lang/securitymanager_checklink.htm

Copyright © tutorialspoint.com

Description

The **java.lang.SecurityManager.checkLinkStringlib** method throws a `SecurityException` if the calling thread is not allowed to dynamic link the library code specified by the string argument file. The argument is either a simple library name or a complete filename. This method is invoked for the current security manager by methods `load` and `loadLibrary` of class `Runtime`.

This method calls `checkPermission` with the `RuntimePermission "loadLibrary. " + lib` permission. If you override this method, then you should make a call to `super.checkLink` at the point the overridden method would normally throw an exception.

Declaration

Following is the declaration for **java.lang.SecurityManager.checkLink** method

```
public void checkLink(String lib)
```

Parameters

- **lib** -- the name of the library.

Return Value

This method does not return a value.

Exception

- **SecurityException** -- if the calling thread does not have permission to dynamically link the library.
- **NullPointerException** -- if the lib argument is null.

Example

Our examples require that the permissions for each command is blocked. A new policy file was set that allows only the creating and setting of our Security Manager. The file is in `C:/java.policy` and contains the following text:

```
grant {  
    permission java.lang.RuntimePermission "setSecurityManager";  
    permission java.lang.RuntimePermission "createSecurityManager";  
    permission java.lang.RuntimePermission "usePolicy";  
};
```

The following example shows the usage of `lang.SecurityManager.checkLink` method.

```
package com.tutorialspoint;  
  
public class SecurityManagerDemo {  
    public static void main(String[] args) {  
  
        // set the policy file as the system security policy  
        System.setProperty("java.security.policy", "file:/C:/java.policy");  
  
        // create a security manager  
        SecurityManager sm = new SecurityManager();  
  
        // set the system security manager
```

```
System.setSecurityManager(sm);

// perform the check
sm.checkLink("JDBC");

// print a message if we passed the check
System.out.println("Allowed!");
}
}
```

Let us compile and run the above program, this will produce the following result:

```
Exception in thread "main" java.security.AccessControlException: access denied
(java.lang.RuntimePermission loadLibrary.JDBC)
Loading [MathJax]/jax/output/HTML-CSS/jax.js
```