

JAVA.LANG.STRINGBUFFER.APPEND METHOD

http://www.tutorialspoint.com/java/lang/stringbuffer_append_float.htm

Copyright © tutorialspoint.com

Description

The **java.lang.StringBuffer.append(float f)** method appends the string representation of the **float** argument to this sequence.

Declaration

Following is the declaration for **java.lang.StringBuffer.append** method

```
public StringBuffer append(float f)
```

Parameters

- **f** -- This is the value of float.

Return Value

This method returns a reference to this object.

Exception

- NA

Example

The following example shows the usage of java.lang.StringBuffer.append method.

```
package com.tutorialspoint;

import java.lang.*;

public class StringBufferDemo {

    public static void main(String[] args) {

        StringBuffer buff = new StringBuffer("tuts ");
        System.out.println("buffer = " + buff);

        // appends the float argument as string to the string buffer
        buff.append(6.5f);
        // print the string buffer after appending
        System.out.println("After append = " + buff);

        buff = new StringBuffer("abcd ");
        System.out.println("buffer = " + buff);
        // appends the float argument as string to the string buffer
        buff.append(10.25f);
        // print the string buffer after appending
        System.out.println("After append = " + buff);
    }
}
```

Let us compile and run the above program, this will produce the following result:

```
buffer = tuts
After append = tuts 6.5
buffer = abcd
After append = abcd 10.25
```

Loading [MathJax]/jax/output/HTML-CSS/jax.js