

JAVA.LANG.STRINGBUILDER.CHARAT METHOD

http://www.tutorialspoint.com/java/lang/stringbuilder_charat.htm

Copyright © tutorialspoint.com

Description

The **java.lang.StringBuilder.charAt** method returns the char value in this sequence at the specified index.

The first char value is at index 0, the next at index 1, and so on, as in array indexing. The **index** argument must be greater than or equal to 0, and less than the length of this sequence.

Declaration

Following is the declaration for **java.lang.StringBuilder.charAt** method

```
public char charAt(int index)
```

Parameters

- **index** -- This is the index of the desired char value.

Return Value

This method returns the char value at the specified index.

Exception

- **IndexOutOfBoundsException** -- if index is negative or greater than or equal to length.

Example

The following example shows the usage of java.lang.StringBuilder.charAt method.

```
package com.tutorialspoint;

import java.lang.*;

public class StringBuilderDemo {

    public static void main(String[] args) {

        StringBuilder str= new StringBuilder("Java");
        System.out.println("string = " + str);

        // returns the char at index 2
        System.out.println("character = " + str.charAt(2));

        str = new StringBuilder("amrood admin ");
        System.out.println("string = " + str);
        // returns the char at index 6, whitespace gets printed here
        System.out.println("character = " + str.charAt(6));
    }
}
```

Let us compile and run the above program, this will produce the following result:

```
string = Java
character = v
string = amrood admin
character =
```

Loading [MathJax]/jax/output/HTML-CSS/jax.js