


# JAVA 8 MOCK TEST

This section presents you various set of Mock Tests related to **Java 8**. You can download these sample mock tests at your local machine and solve offline at your convenience. Every mock test is supplied with a mock test key to let you verify the final score and grade yourself.



## JAVA 8 MOCK TEST

**Q 1 - Which of the following functional interface represents an operation that accepts a single int-valued argument and returns no result?**

- A - IntConsumer
- B - IntFunction<R>
- C - IntPredicate
- D - IntSupplier

**Q 2 - Which of the following functional interface represents a function that accepts an int-valued argument and produces a result?**

- A - IntConsumer
- B - IntFunction<R>
- C - IntPredicate
- D - IntSupplier

**Q 3 - Which of the following functional interface represents a predicate (Boolean-valued function) of one int-valued argument?**

- A - IntConsumer
- B - IntFunction<R>
- C - IntPredicate
- D - IntSupplier

**Q 4 - Which of the following functional interface represents a supplier of int-valued results?**

- A - IntConsumer
- B - IntFunction<R>
- C - IntPredicate
- D - IntSupplier

**Q 5 - Which of the following functional interface represents a function that accepts an int-valued argument and produces a double-valued result?**

- A - IntToDoubleFunction
- B - IntToLongFunction
- C - IntUnaryOperator
- D - LongBinaryOperator

**Q 6 - Which of the following functional interface represents a function that accepts an int-valued argument and produces a long-valued result?**

- A - IntToDoubleFunction
- B - IntToLongFunction
- C - IntUnaryOperator
- D - LongBinaryOperator

**Q 7 - Which of the following functional interface represents an operation on a single int-valued operand that produces an int-valued result?**

- A - IntToDoubleFunction
- B - IntToLongFunction
- C - IntUnaryOperator
- D - LongBinaryOperator

**Q 8 - Which of the following functional interface represents an operation upon two long-valued operands and produces a long-valued result?**

- A - IntToDoubleFunction
- B - IntToLongFunction
- C - IntUnaryOperator
- D - LongBinaryOperator

**Q 9 - Which of the following functional interface represents an operation that accepts a single long-valued argument and returns no result?**

- A - LongConsumer
- B - LongFunction<R>
- C - LongPredicate
- D - LongSupplier

**Q 10 - Which of the following functional interface represents a function that accepts a long-valued argument and produces a result?**

- A - LongConsumer
- B - LongFunction<R>
- C - LongPredicate
- D - LongSupplier

**Q 11 - Which of the following functional interface represents a predicate (Boolean-valued function) of one long-valued argument?**

- A - LongConsumer
- B - LongFunction<R>
- C - LongPredicate
- D - LongSupplier

**Q 12 - Which of the following functional interface represents a supplier of long-valued results?**

- A - LongConsumer
- B - LongFunction<R>
- C - LongPredicate
- D - LongSupplier

**Q 13 - Which of the following functional interface represents a function that accepts a long-valued argument and produces a double-valued result?**

- A - LongToDoubleFunction
- B - LongToIntFunction
- C - LongUnaryOperator
- D - ObjDoubleConsumer<T>

# ANSWER SHEET

Question Number	Answer Key
1	A
2	B
3	C
4	D
5	A
6	B
7	C
8	D
9	A
10	B
11	C
12	D
13	A