

JAVA.UTIL.ARRAYDEQUE.ADDLAST METHOD

http://www.tutorialspoint.com/java/util/arraydeque_addlast.htm

Copyright © tutorialspoint.com

Description

The **java.util.ArrayDeque.addLast***Ee* method inserts the specified element **E** at the end of the deque.

Declaration

Following is the declaration for **java.util.ArrayDeque.addLast** method

```
public void addLast(E e)
```

Parameters

- **e** -- The element to be added at the end.

Return Value

This method does not return any value.

Exception

- **NullPointerException** -- if the specified element is **null**.

Example

The following example shows the usage of **java.util.ArrayDeque.addLast***E* method.

```
package com.tutorialspoint;

import java.util.ArrayDeque;
import java.util.Deque;

public class ArrayDequeDemo {
    public static void main(String[] args) {

        // create an empty array deque with an initial capacity
        Deque<Integer> deque = new ArrayDeque<Integer>(8);

        // use add() method to add elements in the deque
        deque.add(20);
        deque.add(30);
        deque.add(20);
        deque.add(18);
        deque.add(22);
        deque.add(24);

        // the values will be printed in the same order
        deque.addLast(10);
        deque.addLast(12);

        // let us print all the elements available in deque
        for (Integer number : deque) {
            System.out.println("Number = " + number);
        }
    }
}
```

Let us compile and run the above program, this will produce the following result:

```
Number = 20
```

Number = 30
Number = 20
Number = 18
Number = 22
Number = 24
Number = 10
Number = 12

Loading [MathJax]/jax/output/HTML-CSS/fonts/TeX/fontdata.js