

JAVA.UTIL.SIMPLETIMEZONE.SETDSTSAVINGS METHOD

http://www.tutorialspoint.com/java/util/simpletimezone_setdstsavings.htm

Copyright © tutorialspoint.com

Description

The **setDSTSavings** *int* *millisSavedDuringDST* method is used to set the amount of time in milliseconds that the clock is advanced during daylight saving time.

Declaration

Following is the declaration for **java.util.SimpleTimeZone.setDSTSavings** method.

```
public void setDSTSavings(int millisSavedDuringDST)
```

Parameters

- **millisSavedDuringDST** -- This is the the number of milliseconds the time is advanced with respect to standard time.

Return Value

- NA

Exception

- NA

Example

The following example shows the usage of **java.util.SimpleTimeZone.setDSTSavings**

```
package com.tutorialspoint;

import java.util.*;

public class SimpleTimeZoneDemo {
    public static void main( String args[] ){
        // create simple time zone object
        SimpleTimeZone stobj = new SimpleTimeZone(-28800000, "India",
        Calendar.MAY, 1, -Calendar.SUNDAY, 7200000, Calendar.OCTOBER, -1,
        Calendar.MONDAY, 7200000, 3600000);

        // setting DST saving time
        stobj.setDSTSavings(5400000);

        // checking the value
        System.out.println("DST saving value : " + stobj.getDSTSavings());
    }
}
```

Let us compile and run the above program, this will produce the following result.

```
DST saving value : 5400000
```

Loading [MathJax]/jax/output/HTML-CSS/fonts/TeX/fontdata.js