


JCL MOCK TEST

<http://www.tutorialspoint.com>

Copyright © tutorialspoint.com

This section presents you various set of Mock Tests related to **JCL Framework**. You can download these sample mock tests at your local machine and solve offline at your convenience. Every mock test is supplied with a mock test key to let you verify the final score and grade yourself.



JCL MOCK TEST IV

Q 1 - PROC1 is a in-stream procedure in a JCL and with this name PROC1 one catalog procedure exists, then which procedure will be invoked - catalog or in-stream?

```
//TXXXXX JOB ,, NOTIFY = &SYSUID
// JCLLIB ORDER = (XXXXX.PROCLIB)
//STEP1 EXEC PROC1
//PROC1 PROC
//STEP1 EXEC PGM = IEFBR14
//DD1 DD DSN = TXXXXX.TEST, SPACE = (TRK,(1,1)),
// DCB=(RECFM = FB, BLKSIZE = 8000, LRECL = 80),
// DISP=(NEW,DELETE)
//PEND
```

- A - In-stream procedure
- B - Catalog procedure
- C - Job will abend
- D - None of these

Q 2 - What will be the output of following JCL which is calling a catalog procedure?

```
//TXXXXXJ JOB ,, NOTIFY = &SYSUID, CLASS = A, MSGCLASS = X
// JCLLIB ORDER=XXXXX.PROC.LIBRARY
//DATA1 EXEC PROC = PROC1, TIME = 3
```

- A - TIME parameter inside PROC1 will not be overridden
- B - TIME parameter coded in PROCEDURE PROC1 will be replaced with TIME parameter overridden in the JCL i.e TIME = 3
- C - It will give abend
- D - None of these

Q 3 - What is the name of program which will be executed in the STEP1?

```
//XXXXX JOB ,, NOTIFY = SYSUID, CLASS = A, MSGCLASS = X
//      SET A = PROG1
//STEP1 EXEC PGM = &A
//DD1   DD   DSN = FILE1, DISP = SHR
```

- A - A
- B - PROG1
- C - It will not recognize the value of A
- D - None of these

Q 4 - In-stream procedure is coded as a separate member of a PDS. State whether true or false?

- A - True
- B - False

Q 5 - Can a Catalogued procedure call an In-stream procedure?

- A - No
- B - Yes

Q 6 - What are the type of procedure in JCL?

- A - Cataloged
- B - Uncataloged
- C - In-stream
- D - Both A & D

Q 7 - Which method you will use to skip a particular step in JCL?

- A - SKIP
- B - COND
- C - ASKIP
- D - None

Q 8 - Which statement is coded in the starting of a procedure?

- A - PEND
- B - PROC
- C - SET
- D - START

Q 9 - In order to execute step2 a job after a return code of 8 in step1, what condition you will code in step2?

- A - COND=12, GT, STEP1
- B - COND=12, LT, STEP1
- C - COND=8, EQ, STEP1
- D - RESTART

Q 10 - Up to which level cataloged and in-stream procedure can invoke other procedure?

- A - 20
- B - 15
- C - 25
- D - 12

Q 11 - If we have created a +1 generation dataset in the first step of a job then how we can reference it in later steps of the same job for input?

- A - As +2 generation
- B - As +0 generation
- C - As +1 generation
- D - As -2 generation

Q 12 - If we want to use a GDG which is already created by some job, then how to use the reference of the last generation in a JCL?

- A - As -1 generation
- B - As +1 generation
- C - As +0 generation
- D - As -2 generation

Q 13 - What prefix character we use for symbolic parameter?

- A - %
- B - @
- C - &
- D - \$

Q 14 - Which parameters we use in a JOB statement?

- A - Positional

- B - Keyword
- C - In-Stream
- D - Both A & B

Q 15 - How to send the execution status of a job to a user?

- A - STATUS
- B - MESSAGE
- C - NOTIFY
- D - ALERT

Q 16 - Which statement is used to end the in-stream procedure in a JCL?

- A - STOP
- B - END
- C - PEND
- D - None of these

Q 17 - What units are used for allocation of output dataset?

- A - KB
- B - Bytes
- C - Cylinders, Tracks & Blocks
- D - MB

Q 18 - Which parameter is use to declare the name of dataset in DD statement?

- A - DS
- B - NAME
- C - DSN
- D - MARK

Q 19 - How do we pass values to a program through JCL?

- A - In-stream data
- B - PARM
- C - Both A & B
- D - Not possible

Q 20 - Which utility is use to compile a COBOL program?

- A - IKJEFT02
- B - IKJEFT01
- C - IGYCRCTL
- D - None of these

Q 21 - Which utility is used to run a COBOL-DB2 program?

- A - IKJEFT02
- B - IKJEFT01
- C - IGYCRCTL
- D - None of these

Q 22 - What is the output of following JCL?

```
//STEP1 EXEC PGM = IEBEDIT  
//SYSUT1 DD DSN = XXXXXX.XXXX.XXXX(XXXXXXXX), DISP = SHR  
//SYSUT2 DD SYSOUT = (*,INTRDR)  
//SYSPRINT DD SYSOUT = *  
//SYSIN DD *  
EDIT TYPE = INCLUDE, STEPNAME = (STEP3,STEP7)  
/*
```

- A - It will execute only STEP1
- B - It will exclude STEP3 & STEP4 from execution
- C - It will execute only STEP3 & STEP4
- D - None of these

Q 23 - How to mark the end of in-stream data?

- A - END
- B - /*
- C - /*
- D - PEND

Q 24 - What DISP parameter we mention for creation of temporary dataset so that we can use it in later steps?

- A - DISP=NEW, CATLG, DLTE
- B - DISP=NEW, DLTE
- C - DISP=NEW, PASS
- D - DISP=NEW, CTLG

Q 25 - Calling a procedure from within a procedure is called a nested procedure. Procedures can be nested up to 15 levels. State whether true or false?

A - False

B - True

ANSWER SHEET

Question Number	Answer Key
-----------------	------------

1	B
2	B
3	B
4	B
5	B
6	D
7	B
8	B
9	B
10	B
11	C
12	C
13	C
14	D
15	C
16	C
17	C
18	C
19	C
20	C
21	B
22	C
23	C
24	C
25	B