

Introduction

Analyzer class is responsible to analyze a document and get the tokens/words from the text which is to be indexed. Without analysis done, IndexWriter can not create index.

Class declaration

Following is the declaration for **org.apache.lucene.analysis.Analyzer** class:

```
public abstract class Analyzer
    extends Object
    implements Closeable
```

Class constructors

S.N. Constructor & Description

- 1 **protected Analyzer**

Class methods

S.N. Method & Description

- 1 **void close**
Frees persistent resources used by this Analyzer
- 2 **int getOffsetGapFieldablefield**
Just like getPositionIncrementGapjava. lang. String, except for Token offsets instead.
- 3 **int getPositionIncrementGapStringfieldName**
Invoked before indexing a Fieldable instance if terms have already been added to that field.
- 4 **protected Object getPreviousTokenStream**
Used by Analyzers that implement reusableTokenStream to retrieve previously saved TokenStreams for re-use by the same thread.
- 5 **TokenStream reusableTokenStreamStringfieldName, Readerreader**
Creates a TokenStream that is allowed to be re-used from the previous time that the same thread called this method.

6

protected void setPreviousTokenStream*Objectobj*

Used by Analyzers that implement reusableTokenStream to save a TokenStream for later re-use by the same thread.

7

abstract TokenStream tokenStream*StringfieldName, Readerreader*

Creates a TokenStream which tokenizes all the text in the provided Reader.

Methods inherited

This class inherits methods from the following classes:

• [java.lang.Object](#)

Loading [Mathjax]/jax/output/HTML-CSS/fonts/TeX/fontdata.js