


OBJECTIVE-C - POINTER TO POINTER

http://www.tutorialspoint.com/objective_c/objective_c_pointer_to_pointer.htm

Copyright © tutorialspoint.com

A pointer to a pointer is a form of multiple indirection or a chain of pointers. Normally, a pointer contains the address of a variable. When we define a pointer to a pointer, the first pointer contains the address of the second pointer, which points to the location that contains the actual value as shown below.



A variable that is a pointer to a pointer must be declared as such. This is done by placing an additional asterisk in front of its name. For example, following is the declaration to declare a pointer to a pointer of type int:

```
int **var;
```

When a target value is indirectly pointed to by a pointer to a pointer, accessing that value requires that the asterisk operator be applied twice, as is shown below in the example:

```
#import <Foundation/Foundation.h>

int main ()
{
    int var;
    int *ptr;
    int **pptr;

    var = 3000;

    /* take the address of var */
    ptr = &var;

    /* take the address of ptr using address of operator & */
    pptr = &ptr;

    /* take the value using pptr */
    NSLog(@"Value of var = %d\n", var );
    NSLog(@"Value available at *ptr = %d\n", *ptr );
    NSLog(@"Value available at **pptr = %d\n", **pptr);

    return 0;
}
```

When the above code is compiled and executed, it produces the following result:

```
2013-09-14 00:41:45.687 demo[22087] Value of var = 3000
2013-09-14 00:41:45.687 demo[22087] Value available at *ptr = 3000
2013-09-14 00:41:45.687 demo[22087] Value available at **pptr = 3000
```