

QTP - DTSHEET METHODS

http://www.tutorialspoint.com/qtp/qtp_dt_sheet.htm

Copyright © tutorialspoint.com

DTSheet Methods:

Method Name	Description	Syntax
AddParameter	Adds the specified column to the sheet in the run-time data table.	DTSheet.AddParameter <i>ParameterName, Value</i>
DeleteParameter	Deletes the specified parameter from the run-time data table.	DTSheet.DeleteParameter <i>ParameterID</i>
GetCurrentRow	Returns the row number of the active row in the run-time Data Table.	DTSheet.GetCurrentRow
GetParameter	Returns the specified parameter from the run-time Data Table.	DTSheet.GetParameter <i>ParameterID</i>
GetParameterCount	Returns the total number of Columns in the run-time Data Table.	DTSheet.GetParameterCount
GetRowCount	Returns the total number of rows in the run-time Data Table.	DTSheet.GetRowCount
SetCurrentRow	Sets the Focus on the specified Row of the Data Table	DTSheet.SetCurrentRow <i>RowNumber</i>
SetNextRow	Shifts the Focus to the next Row of the Data Table.	DTSheet.SetNextRow
SetPrevRow	Shifts the Focus to the Previous Row of the Data Table.	DTSheet.SetPrevRow

Example:

```
'Accessing Datatable to get Row Count and Column Count
rowcount = DataTable.GetSheet("Global").GetRowCount
msgbox rowcount      ' Displays 4

colcount = DataTable.GetSheet("Global").GetParameterCount
msgbox colcount      ' Displays 3

DataTable.SetCurrentRow(2)
val_rate = DataTable.Value("Rate", "Global")
print val_rate      ' Displays 7%

val_ppl = DataTable.Value("Principal", "Global")
print val_ppl      ' Displays 2556

val_Time = DataTable.Value("Time", "Global")
print val_Time      ' Displays 5
```

Loading [Mathjax]/jax/output/HTML-CSS/fonts/TeX/fontdata.js