SAP ABAP MOCK TEST

This section presents you various set of Mock Tests related to **SAP ABAP**. You can download these sample mock tests at your local machine and solve offline at your convenience. Every mock test is supplied with a mock test key to let you verify the final score and grade yourself.

SAP ABAP MOCK TEST III

Q 1 - To create new dynamic programs during the runtime of an ABAP program, which of the below must be used?

A - Internal Table

B - Modularization

C - Dimension Table

D - Sorted Table

Q 2 - If an error occurs during generation of subroutine pool, which of the below contains the name of the program in which the error possibly occurred?

A - MESSAGE<mess>

B - INCLUDE<incl>

C - LINE<line>

D - WORD<word>

E - OFFSET<offs>

Q 3 - When you want the user to enter either a single value for a field or fields, or to enter selection criteria, which of the below screen type can be used?

A - Dialog Screens

B - Custom Screens

C - Selection Screens

D - All of the above

Q 4 - When we run Open SQL statement, the system field SY-SUBRC returns which of the below value If operation is successful?

A - 0

B - 1

C - 2

D - 3

Q 5 - Which of the below transaction is used to call Context builder and to create a new context?

A - SE34

B - SE35

C - SE33

D - SE36

Q 6 - Dialog programs are of which of program type?

A - Type B

B - Type 1

C - Type M

D - Type *

E - Type S

Q 7 - ABAP contains a series of statements that allow you to leave an event block. Which of the below is specifically used to leave a GET event block?

A - STOP

B - REJECT

C - CHECK

D - EXIT

Q 8 - Which of the following cannot be modified using an ABAP dictionary?

A - Function Groups

B - Search help

C - Lock Objects

D - All of the above

Q 9 - When a table should be buffered in an ABAP program?

A - Read infrequently

B - Linked to check tables

C - To pick up a single record

D - Read frequently and the data changes slowly

Q 10 - Which of the following statement is correct about views?

A - You can buffer Views

B - Views cannot be buffered

C - A view contains data

D - None of the above

Q 11 - Which of the following tool can be used to organize development projects in ABAP workbench?

A - Change and Transport System

B - Function Groups

C - Process Blocks

D - Customizing Requests

Q 12 - Which of the following database provides read-only access to a group of related tables to an ABAP/4 program?

A - Relational Database

B - No SQL database

C - Logical database

D - None

Q 13 - Which of the following can be called from both the program in which it is defined and from other programs?

A - Macro

B - Subroutine

C - Function

D - All of the above

ANSWER SHEET

Question Number	Answer Key
1	A
2	B

3	C
4	A
5	C
6	C
7	B
8	A
9	D
10	A
11	A
12	C
13	B