
http://www.tutorialspoint.com

Copyright © tutorialspoint.com

This section presents you various set of Mock Tests related to **SAP BW**. You can download these sample mock tests at your local machine and solve offline at your convenience. Every mock test is supplied with a mock test key to let you verify the final score and grade yourself.



Q 1 - Which of the following is used to perform preliminary calculations and is used to store these in global data structure in a table?

- A Start Routine
- B End routine
- C Expert Routine
- D None of the above

Q 2 - A company wants to set up BI reporting on Sales data from source system without extraction. Which of the following SAP BW feature support this?

- A MultiProvider
- B Delta Load
- C Virtual Provider
- D InfoSets

Q 3 - Criteria for selecting PSA and IDOC methods transfer data depends on?

- A Load Performance
- B Query Performance
- C Volume of Data
- D Frequency of Data

Q 4 - Which of the following is a valid transformation rule in BW?

A - Count

C - routine
D - Overwrite
Q 5 - Virtual Providers only allow read access to data in source system?
A-True
B - False
Q 6 - Which of the Virtual provider is recommended when you need upto date and small amount of data from time to time and only few users query on data simultaneously?
A - VirtualProvider based on BAPI's
B - VirtualProvider with function modules
C - Virtual Providers with DTP
D - All of the above
Q 7 - Which of the following is component of Business Explorer suite?
A - Web Analyzer
B - Report Designer
C - BICS
D - BEx Query Designer
E - PSA
Q 8 - Which of the following in BEx suite is used to create BI queries?
A - Query Designer
B - Report Designer
C - Web Application Designer
D - Web Analyzer
Q 9 - Which of the following transaction is used in SAP BW to manage authorization objects?
A - SU12
B - SU21
C - SM59
D - SM56

B - Extract

B - DS		
C - RS		
D - ZS		
Q 11 - In order to execute query, which of the following authorization object access is mandate in BW?		
A - S_RS_COMP		
B - S_RS_ADMWB		
C - S_RS_Query		
D - None of these		
Q 12 - An authorization object S_RS_HIER is used for creating InfoCubes?		
A - True		
B - False		
Q 13 - Which of the following authorization object	ct is used to protect RSA1?	
Q 13 - Which of the following authorization object A - S_RS_COMP	ct is used to protect RSA1?	
	ct is used to protect RSA1?	
A - S_RS_COMP	ct is used to protect RSA1?	
A - S_RS_COMP B - S_RS_ADMWB	ct is used to protect RSA1?	
A - S_RS_COMP B - S_RS_ADMWB C - S_RS_Query		
A - S_RS_COMP B - S_RS_ADMWB C - S_RS_Query D - None of these		
A - S_RS_COMP B - S_RS_ADMWB C - S_RS_Query D - None of these		
A - S_RS_COMP B - S_RS_ADMWB C - S_RS_Query D - None of these ANSWER SHE	ET	
A - S_RS_COMP B - S_RS_ADMWB C - S_RS_Query D - None of these ANSWER SHE	EET Answer Key	
A - S_RS_COMP B - S_RS_ADMWB C - S_RS_Query D - None of these ANSWER SHE Question Number 1	EET Answer Key A	

A

С

E

A

 \boldsymbol{Q} 10 - Which of the following class contains majority of authorization objects in BI?

A - AS

5

6

7

8

9	В
10	С
11	A
12	В
13	В