

SCRIPT.ACULO.US - BLINDUP EFFECT

http://www.tutorialspoint.com/script.aculo.us/scriptaculous_blindup_effect.htm

Copyright © tutorialspoint.com

Description

This effect simulates a window blind, where the contents of the affected elements stay in place.

Syntax

You can use one of the following two forms to use this effect –

```
new Effect.BlindUp('id_of_element', [options]);  
  
OR  
  
new Effect.BlindUp(element, [options]);
```

Effect-Specific Parameters

This effect does not have any other parameter except the [common parameters](#).

Example

```
<html>  
  <head>  
    <title>script.aculo.us examples</title>  
  
    <script type="text/javascript" src="/javascript/prototype.js"></script>  
    <script type="text/javascript" src="/javascript/scriptaculous.js?  
load=effects"></script>  
  
    <script type="text/javascript">  
      function BUEffect(element){  
        new Effect.BlindUp(element, {duration:3});  
      }  
  
      function ShowImage(element){  
        new Effect.Appear(element,{duration:1, from:1, to:1.0});  
      }  
    </script>  
  
  </head>  
  <body>  
  
    <div onclick="ShowImage('myimage')">  
      Click me to display the image  
    </div>  
    <br />  
  
    <div >  
        
      <h2>Click me to raise the blind</h2>  
    </div>  
  
  </body>  
</html>
```

This will produce following result –

