


UNIX / LINUX MOCK TEST

<http://www.tutorialspoint.com>

Copyright © tutorialspoint.com

Advertisements

This section presents you various set of Mock Tests related to **Unix Framework**. You can download these sample mock tests at your local machine and solve offline at your convenience. Every mock test is supplied with a mock test key to let you verify the final score and grade yourself.



UNIX MOCK TEST

Q 1 - Choose the command to list only the file "error.txt"

- A - ls *err*.txt
- B - ls e*.txt
- C - ls error.???
- D - ls error.txt

Q 2 - Choose the odd one out.

- A - write
- B - mail
- C - wall
- D - read

Q 3 - Which is following key moves the cursor to the end of the line in vi editor?

- A - 0
- B - \$
- C - {

D - }

Q 4 - Which command can be used to delete a file?

- A - del
- B - remove
- C - rm
- D - delete

Q 5 - Which character can be used to separate two commands on the same line?

- A - :
- B - ;
- C - ,
- D - None of the above

Q 6 - Command used to update access and modification times of a file.

- A - finger
- B - touch
- C - tee
- D - vi

Q 7 - Choose the correct option to replace all the occurrences of pattern1 with pattern2 using vi editor.

- A - :%s/pattern1/pattern2/g
- B - :%s/pattern1/pattern2/G
- C - %s/pattern1/pattern2/G
- D - :%s/pattern1/pattern2/G

Q 8 - Which command can be used to start the process with the required priority?

- A - schedule
- B - nohup
- C - nice
- D - prefer

Q 9 - Which command can be used to drop a message to all logged in users.

- A - mail
- B - writeall
- C - boradcast
- D - wall

Q 10 - Which option can be used with 'rm' command to prompt for file removal?

- A - --ask
- B - -i
- C - -c
- D - -n

Q 11 - Choose option to list files by modification time.

- A - ls -mt
- B - ls -t
- C - ls -a
- D - ls -l

Q 12 - Which command can be used to determine file type by its content?

- A - file
- B - ls -l
- C - type
- D - None of the above.

Q 13 - Option to mention field separator for the command 'cut' is __

- A - -f
- B - -c
- C - -d
- D - \0