

FONT AWESOME - BRAND ICONS

http://www.tutorialspoint.com/web_icons/font_awesome_brand_icons.htm

Copyright © tutorialspoint.com

This chapter explains the usage of Font Awesome Brand icons. Assume that **custom** is the CSS class name where we defined the size and color, as shown in the example given below.

```
<html>
  <head>
    <link rel = "stylesheet" href = "http://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.3.0/css/font-awesome.min.css">

    <style>
      i.custom {font-size: 2em; color: gray;}
    </style>

  </head>

  <body>
    <i class = "fa fa-adjust custom"></i>
  </body>

</html>
```

The following table shows the usage and the results of Font Awesome Brand icons. Replace the `<body>` tag of the above program with the code given in the table to get the respective outputs –

[illegible]

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>

<i></i>