

MATERIAL - MAPS ICONS

http://www.tutorialspoint.com/web_icons/material_maps_icons.htm

Copyright © tutorialspoint.com

This chapter explains the usage of Google's *Material* Maps icons. Assume that **custom** is the CSS class name where we defined the size and color, as shown in the example given below.

```
<!DOCTYPE html>
<html>
  <head>
    <link href = "https://fonts.googleapis.com/icon?family=Material+Icons" rel =
"stylesheet">

    <style>
      i.custom {font-size: 2em; color: green;}
    </style>

  </head>

  <body>
    <i class = "material-icons custom">accessibility</i>
  </body>

</html>
```

The following table contains the usage and results of Google's *Material* Maps icons. Replace the <body> tag of the above program with the code given in the table to get the respective outputs –

Usage	Result
<i>beenhere</i>	<i>beenhere</i>
<i>directions</i>	<i>directions</i>
<i>directions_bike</i>	<i>directions_bike</i>
<i>directions_boat</i>	<i>directions_boat</i>
<i>directions_bus</i>	<i>directions_bus</i>
<i>directions_car</i>	<i>directions_car</i>
<i>directions_railway</i>	<i>directions_railway</i>
<i>directions_run</i>	<i>directions_run</i>
<i>directions_subway</i>	<i>directions_subway</i>
<i>directions_transit</i>	<i>directions_transit</i>
<i>directions_walk</i>	<i>directions_walk</i>
<i>flight</i>	<i>flight</i>
<i>hotel</i>	<i>hotel</i>
<i>layers</i>	<i>layers</i>
<i>layers_clear</i>	<i>layers_clear</i>
<i>local_activity</i>	<i>local_activity</i>
<i>local_airport</i>	<i>local_airport</i>
<i>local_atm</i>	<i>local_atm</i>

<i>local_bar</i>	<i>local_bar</i>
<i>local_cafe</i>	<i>local_cafe</i>
<i>local_car_wash</i>	<i>local_car_wash</i>
<i>local_convenience_store</i>	<i>local_convenience_store</i>
<i>local_dining</i>	<i>local_dining</i>
<i>local_drink</i>	<i>local_drink</i>
<i>local_florist</i>	<i>local_florist</i>
<i>local_gas_station</i>	<i>local_gas_station</i>
<i>local_grocery_store</i>	<i>local_grocery_store</i>
<i>local_hospital</i>	<i>local_hospital</i>
<i>local_hotel</i>	<i>local_hotel</i>
<i>local_laundry_service</i>	<i>local_laundry_service</i>
<i>local_library</i>	<i>local_library</i>
<i>local_mall</i>	<i>local_mall</i>
<i>local_movies</i>	<i>local_movies</i>
<i>local_offer</i>	<i>local_offer</i>
<i>local_parking</i>	<i>local_parking</i>
<i>local_pharmacy</i>	<i>local_pharmacy</i>
<i>local_phone</i>	<i>local_phone</i>
<i>local_pizza</i>	<i>local_pizza</i>
<i>local_play</i>	<i>local_play</i>
<i>local_post_office</i>	<i>local_post_office</i>
<i>local_printshop</i>	<i>local_printshop</i>
<i>local_see</i>	<i>local_see</i>
<i>local_shipping</i>	<i>local_shipping</i>
<i>local_taxi</i>	<i>local_taxi</i>
<i>map</i>	<i>map</i>
<i>my_location</i>	<i>my_location</i>
<i>navigation</i>	<i>navigation</i>
<i>person_pin</i>	<i>person_pin</i>
<i>pin_drop</i>	<i>pin_drop</i>
<i>place</i>	<i>place</i>
<i>rate_review</i>	<i>rate_review</i>
<i>restaurant_menu</i>	<i>restaurant_menu</i>
<i>satellite</i>	<i>satellite</i>

<code><i>store_mall_directory</i></code>	<i>store_mall_directory</i>
<code><i>traffic</i></code>	<i>traffic</i>
<code><i>terrain</i></code>	<i>terrain</i>

Loading [MathJax]/jax/output/HTML-CSS/jax.js