

WML - TAGS REFERENCE

http://www.tutorialspoint.com/wml/wml_tags_reference.htm

Copyright © tutorialspoint.com

Following table lists all the valid WML elements. Click over the links to know more detail of that element

Deck & Card Elements

WML Elements	Purpose
<u><!--></u>	Defines a WML comment
<u><wml></u>	Defines a WML deck <i>WMLroot</i>
<u><head></u>	Defines head information
<u><meta></u>	Defines meta information
<u><card></u>	Defines a card in a deck
<u><access></u>	Defines information about the access control of a deck
<u><template></u>	Defines a code template for all the cards in a deck

Text Elements

WML Elements	Purpose
<u>
</u>	Defines a line break
<u><p></u>	Defines a paragraph
<u><table></u>	Defines a table
<u><td></u>	Defines a table cell <i>tabledata</i>
<u><tr></u>	Defines a table row
	Defines preformatted text

[<pre>](#)

Text Formatting Tags

WML Elements	Purpose
<u></u>	Defines bold text
<u><big></u>	Defines big text
<u></u>	Defines emphasized text
<u><i></u>	Defines italic text
<u><small></u>	Defines small text
<u></u>	Defines strong text
<u><u></u>	Defines underlined text

Image Elements

WML Elements	Purpose
<u></u>	Defines an image

Anchor Elements

WML Elements	Purpose
<u><a></u>	Defines an anchor
<u><anchor></u>	Defines an anchor

Event Elements

WML Elements	Purpose
--------------	---------

<u><do></u>	Defines a do event handler
<u><onevent></u>	Defines an onevent event handler
<u><postfield></u>	Defines a postfield event handler
<u><ontimer></u>	Defines an ontimer event handler
<u><onenterforward></u>	Defines an onenterforward handler
<u><onenterbackward></u>	Defines an onenterbackward handler
<u><onpick></u>	Defines an onpick event handler

Task Elements

WML Elements	Purpose
<u><go></u>	Represents the action of switching to a new card
<u><noop></u>	Says that nothing should be done
<u><prev></u>	Represents the action of going back to the previous card
<u><refresh></u>	Refreshes some specified card variables.

Input Elements

WML Elements	Purpose
<u><input></u>	Defines an input field
<u><select></u>	Defines a select group
<u><option></u>	Defines an option in a selectable list
	Defines a set of input fields

[<fieldset>](#)

[<optgroup>](#)

Defines an option group in a selectable list

Variable Elements

WML Elements	Purpose
<u><setvar></u>	Defines and sets a variable
<u><timer></u>	Defines a timer

Loading [MathJax]/jax/output/HTML-CSS/fonts/TeX/fontdata.js